




2015

SAFETY FOOTWEAR




GIASCO
ITALY







MADE IN ITALY 



GIASCO
ITALY



URBAN



extra
LIGHT
shoes



SRC

ANTI-SLIPPING SOLE

PERFECT GRIP



ANTISTATIC PU/PU
DOUBLE DENSITY SOLE



BASEL S1P
39-47

UR062NR



BIEL S1P
39-47

UR062HV



SOLDEN S1P
39-47

UR062HA



LUND S3
39-47

UR121NN



JET S1P
39-47

91094C



SPEEDY S1P
39-47

91D94C



MIAMI S1P
35-47

91N93C



BERN S3
39-47

93N91C



BASEBALL S1P
39-47

91H75C



NORDIC S3
36-47

93N43C



RUGBY S3
36-47

93N25C



BASKET S3
36-47

93N37C

NO
METAL

URBAN



URBAN



ENERGY S1P
39-47

UR062R



EIRE S1P
39-47

91T01C



KAYAK S3
36-47

93T25C



SOFTBALL S3
39-47

93T37C



FARRIER S3 CI
39-47

93L17C



PERÙ S1P
35-47

91T95C



PANAMA S1P
35-49

91T83C



PONZA S1P
39-47

91V41C



TRUCKER SB FO A E
36-47

90H06



YORK S3
35-49

93D61C



OXFORD S3
35-49

93D68C



OXFORD S3R
39-47

93D68CR5



MICROWASH



CLASS 3



ISLAND S2
35-49

92102

MICROWASH



CLASS 3



MEDINA S2
35-47

92D02

MICROWASH



CLASS 3



STOCKHOLM S2
39-47

92125

MICROWASH



CLASS 3



VILNIUS S3
36-47

93025C

MICROWASH



CLASS 3



BALTIC S2
37-47

92120

MICROWASH



CLASS 3



TALLINN SB FO A E 90107F
36-47

36-47

MICROWASH



CLASS 3



HELSINKY SB FO A E 90107
36-47

36-47

MICROWASH



CLASS 3



FREE SB FO A E
36-47

90D07

MICROWASH



CLASS 3



CI - 17°C



ICEBERG S2 CI
37-47

92111



20347 PROFESSIONAL



MEMBRANE



CI - 17°C



CLASS 3



POSTMAN 02 FO CI 902L83
39-47

902L83



CLASS 3

MICROWASH



MALMO 02 FO CI 902025
39-47

39-47




PERFORMANCE

GIASCO
ITALY




UP & DOWN



200J

No Metal



XL


Mondo point 11

*extra
LIGHT
shoes*



**ANTI
ABRASION
MATERIAL**

SRC
ANTI-SLIPPING SOLE



BENDING POINT

ANTI-SLIPPING HEEL

ANTISHOCK



ANTISTATIC PU/PU
DOUBLE DENSITY SOLE



CLASS 3

LIBRA S3
39-47

UP048E

NO
METAL

UP & DOWN



CLASS 3

ARCHER S1P
39-47

UP093NV



CLASS 3

PISCES S1P
39-47

UP123T



CLASS 3

TAURUS S1P
39-47

UP123E



CLASS 3

YELLOW S1P
39-47

UP123Y



CLASS 3

ORANGE S1P
39-47

UP123W



CLASS 3

SCORPIO S3
39-47

UP123K



CLASS 3

ARIES S3
39-47

UP025H



CLASS 3

ACQUARIUS S1P
39-47

UP121E



CLASS 3

LED S1P
39-47

UP071E



CLASS 3

VIRGO S1P
39-47

UP071EV



CLASS 3

CAPRICORN S1P
39-47

UP071C



CLASS 3

GEMINI S1P
39-47


UP071R



GIASCO
ITALY



ERGOSAFE



SRC
ANTI-SLIPPING SOLE

*extra
LIGHT
shoes*

+ BLOOD CIRCULATION = - FATIGUE
+ RIGHT POSTURE = - BACK STRESS



ANTISTATIC PU/PU
DOUBLE DENSITY SOLE



LEEDS S3
36-47

73D61C



ARENDAL S2
36-47

MICROWASH



CLASS 3



FASHION S3
39-47

73R37C




CLASS 3

NO
METAL

ERGO SAFE



WITTEN S1P ER062NR
39-47



EMMEN S1P ER062HA
39-47



FIJI S1P ER093NV
36-47



HAITI S1P 71N93C
36-47



SPIRIT S3 73Q25C
36-47



LIMA S1P 71T95C
36-47



FLASH S1P 71D94C
36-47



AIR S1P 71Q94C
39-47



BERGEN S2 72I02
36-47




SANTA FE S1P 71T83C
36-47



SPORT S3 73N25C
36-47



GYM S3 73N37C
36-47



SRC
ANTI-SLIPPING SOLE

extra
LIGHT
shoes



h 30 mm



ANTI-SHOCK HEEL

ANTI-SHOCK



ANTI-SLIPPING HEEL

ANTISTATIC PU/PU
DOUBLE DENSITY SOLE



MISS

Bloom

MICROWASH



CLASS 3

LILY S3
36-41

BL1020



CLASS 3

LAVENDER S1P
36-41

BL102TF



CLASS 3

TULIP S1P
36-41

BL112T

MICROWASH



CLASS 3

ROSE S3
36-41

BL105H



CLASS 3

HEATHER S3
36-41

BL103H



CLASS 3

DAISY S2
36-41

BL101I

MICROWASH



CLASS 3

VIOLET S3
36-41

BL1000



CLASS 3

DAHLIA S1P
36-41

BL105K




CLASS 3

IRIS S3
36-41

BL106K




24 HOURS



SRC
ANTI-SLIPPING SOLE

COMFORT
PLANT XXL



ANTISTATIC PU/PU
DOUBLE DENSITY SOLE



CLASS 3

DUBLIN S1P

39-48

31H34C



CLASS 3

ODENSE S1P

39-48

31L35C



CLASS 3

STOCCOLMA S1P

39-48

31T21C



CLASS 3

SYDNEY S3

39-48

33L74C



CLASS 3



CANBERRA S3 WR

39-48

33L77C



CLASS 3

BADEN S3

39-48

33N42C



CLASS 3



CI - 17°C



MEMBRANE



WR

OREGON S3 CI WR

39-48

33L98C



CLASS 3



CI - 17°C



MEMBRANE

BREDA S3 CI

39-48

33N32C



CLASS 3



CI - 17°C



MEMBRANE




WR

OHIO S3 CI WR



39-48

33N39C



EASY RIDER

EASY RIDER



SRC
ANTI-SLIPPING SOLE

*extra
LIGHT
shoes*

SRC ANTI - SLIPPING SOLE

ANTI - SLIPPING HEEL


ANTI - SHOCK



ANTISTATIC PU/PU
DOUBLE DENSITY SOLE



BOSTON S3 RD051L
39-47



SEATTLE S3 CI RD087L
39-47



CANYON S3 CI RD087T
39-47



SAN DIEGO S3 CI RD030G
39-47



MANCHESTER S3 CI RD078A
39-47



ORLANDO S3 CI RD017L
39-47



CHICAGO S3 CI RD089L
39-47



SPRINGFIELD S3 RD089V
39-47





GULF S3 RD011A
39-47



PERFECT GRIP


ACTION



SRC
ANTI-SLIPPING SOLE




ANTISTATIC PU/PU
DOUBLE DENSITY SOLE




DALLAS S3 CI WR AC053N
39-47




DENVER S3 CI WR AC057N
39-47




MISTRAL S3 CI AC056T
39-47



STELVIO S3 CI WR AC053L
39-47



VALTELLINA S3 CI WR AC057L
39-47



OTTAWA S3 CI AC076L
39-47



TIGRE S1P AC055Q
39-47



BELIZE S3 AC003N
39-47



HONDURAS S3 AC049N
39-47



CLASS 3

TIBET S1P
39-47

AC072H



CLASS 3

SALVADOR S3
39-47

AC003D



CLASS 3

CUBA S3
39-47

AC049D



AGADIR S1P
39-47

AC083V



CLASS 3



CI - 17°C

GARDENA S3 CI
39-47

AC003V



CLASS 3



CI - 17°C

CORTINA S3 CI
39-47

AC049V



KENT S3
36-47

AC061D



CAMBRIDGE S3
36-47

AC068D



IRON RM S3
39-47

AC068DRM



SAHARA S1
AC082T
36-47

SAHARA S1P
AC082TP
36-47



METAL



MOZART S2
AC810B
36-47

MOZART S3
AC810BP
36-47



METAL



VERDI S2
AC880B
36-47

VERDI S3
AC880BP
36-47



METAL



VERDI S3 R
39-47

AC880BRP



METAL




SOLDADOR S3
39-47

AC880BSP



METAL



VERDI S3 FUR
39-47

AC880BFP



METAL




ONTARIO S3 CI
39-47

AC011B



TITAN S3
39-47

AC011G



ALASKA S3 CI WR
39-47

AC084B



HRO 300°C SOLE





-35°C SOLE



HARD ROCK

ANTISTATIC PU / RUBBER SOLE



SRC

ANTI-SLIPPING SOLE
PERFECT GRIP



HEAT INSULATION HI



FOR MECHANICAL WORKERS




PU MID SOLE
RUBBER OUTSOLE




GENK S3 CI HI HRO
HR051L

39-47



KIEL S3 CI HI WR HRO
HR058L

39-47



ALPI S3 CI HI WR HRO
HR058G

39-47



BONN S3 CI HI HRO
HR054L

39-47




GERA S3 CI HI WR HRO
HR059L

39-47




POMPEI S3 CI HI HRO
HR078N

39-47



VULCANO S3 CI HI WR HRO
HR053N

39-47




ETNA S3 CI HI WR HRO
HR057N

39-47




HARD ROCK

ANTISTATIC PU / RUBBER SOLE



SRC
ANTI-SLIPPING SOLE
PERFECT GRIP



GRIP S3 CI HI WR HRO HR099L
39-47

WINTER S3 CI HI WR HRO HR011L
39-47



ERCOLANO S3 HI HRO
HR066D 39-47



ENDURANCE RM S3 HI HRO
HR068DRM 39-47




MONTANA S3 CI HI HRO
HR096L 39-47



SAFE S3 CI HI HRO
HR019L 39-47



WOODCUT S3 CI HI WR
HRO SRC 53L97C 39-47





TECNICAL

INSULATING PU / RUBBER SOLE


C.S.A. Z195 P. 4.4  

TECNICAL INSULATING line exceeds requirements fixed from the Canadian norm CSA for electrical resistance. Determination of Electric Shock Resistance to a potential of **18000 V, 60 HZ, FOR A PERIOD OF 1 MIN**

INSULATING SOLE 

from >1000 MΩ

The bottom of the shoe, within some limits (no humidity, it does not concern the upper), offers electrical resistance against tension up to 500V - MΩ > 1.000 (met. similar EN 344/1 p. 5.7)



FRANKLIN SB FO E P WRU HRO
20T22C 39-47



VOLT SB FO E P HRO
20H55C 39-47



EDISON SB FO E P WRU HRO
20D60C 39-47



AMPERE SB FO E P WRU HRO
20T37C 39-47





MARTE GI S5
39-46



MARTE V S5
39-46




MARTE B S5
39-46



PESCI
39-47



GIOVE P S4
39-46



ANSAFT PB
35-46

60P05



MARY
35-46



SARA
35-46



UNISEX C
35-46



UNISEX P
35-46



GAIA
35-46



COLOURS:
☐ ☒ ☒
35/36
37/38
39/40
41/42
43/44
45/46



LUNA



COLOURS:
☒ ☐
35/36
37/38
39/40
41/42
43/44
45/46



NEVE




35/36
37/38
39/40
41/42
43/44
45/46




SOLE





GA509-10
Borsone Giasco / Big Bag
cm 63x36x34








MICROWASH TEXTILE



MICROWASH 



MEMBRANE WINDTEX®



UNI EN ISO 20344
UNI EN ISO 20345



SB=



S1=SB+E+A



S1P=SB+E+A+P



S2=S1+WRU



S3=S2+P



UNI EN ISO 20346



PB=



UNI EN ISO 20347



OB=



O1= OB+E+A



O2= O1+WRU



USA STANDARD

ASTM 2413-11 IMPACT/COMPRESSION



CLASS 3



**ESD = ELECTRO STATIC DISCHARGE
EN ISO 61340-5-1**

Conductive from 0 MΩ to 0,1 MΩ

ESD from 0,1 MΩ to 100 MΩ

Antistatic from 0,1 MΩ to 1000 MΩ

Dielectric from >1000 MΩ



CLASS 3



ANTI SLIPPING SOLE

EN 13287

FLAT



HEEL



GIASCO

ITALY

